

# BL-500

## LIGHT EDITION





brasilia

SONOS

STABLE BLEND  
CAPULA NEW GUINEA  
ARABICA BLEND

BLUEBON

## Built to last.

The BL-500 Light Edition is fitted with the Bullone Rosso system, which guarantees a longer lifespan for the machine.

Stable temperatures, thermal shock to avoid the formation of lime scale inside the boiler, easy maintenance thanks to the possibility of removing and substituting exclusively the Bullone Rosso, dry steam for froth with the minimum amount of milk.



THE THERMAL SHOCK COMBATS THE FORMATION OF LIME SCALE.  
TEMPERATURES ARE ALWAYS STABLE. EASY MAINTENANCE: REMOVE  
AND SUBSTITUTE THE BULLONE ROSSO ONLY. DRY STEAM.



## Increase your productivity.

When you have the right tools, you can produce more, with better quality and less effort. Each technological system in the BL-500 LE has been designed to make the barista's job easier, allowing them to satisfy a larger number of customers with less effort.

The B16 group ensures that your coffee is of a constantly excellent quality; the dry steam makes creating froth much faster, and with Tea Care Tech, you can serve teas and infusions with an unforgettable flavour.



|| B16 GROUP WITH STATIC PRE-INFUSION. || INSULATED BOILER. || READY FOR PULLING. || TEA CARE TECH. || ENERGY SAVING. || DRY STEAM.

# Technology for true professionals: all a barista could desire.

Move with ease behind the counter, let your creativity guide you, astound your customers with the quality and design, enjoy the beauty of your trade. BL-500 LE offers you everything you are looking for in a professional system: control the machine with a touch, create froth with precision and without the risk of scalding, and prepare amazing drinks in an instant.

|| PREINFUSION TECHNOLOGY. || PROGRESSIVE TEXTURING CONTROL. || COOL TOUCH STEAM WAND. || COFFEE CREMA LEDS. || BL FILTER HOLDER. || PRO-SHOWER SCREEN. || TOUCH DISPLAY.



|| AUTO-CLEANING. || COMPUTER PROGRAMMING INTERFACE. || USB CONNECTION. || CUP WARMER 4 SETTINGS.



BL-500-DE 3 Gr



BL-500-LE 2 Gr



BL-500-LE 3 Gr



BL-500-LE 2 Gr Tall Cup



BL-500-LE 3 Gr Tall Cup

## It is exactly as you want it to be, because it adapts to your needs.

Versions available with two or three groups, and for standard or tall cups. Four different levels of cup warming to select from, the possibility to add Bluetooth connectivity, an interface for on-board machine programming via PC or USB drive. Choose and manage it as you prefer: the BL-500 LE is the ideal working companion, because it adapts to your needs while maintaining performance and ease of use.

# BL-500-LE

## 2 Gr

## 3 Gr

LCD TFT 4,3" colour touch screen	as standard	as standard
Bluetooth connectivity	optional	optional
USB connectivity	as standard	as standard
Cup warmer	as standard	as standard

### BL-500-LE 2 GR

Version	Standard / Tall Cup*
Cup holder capacity	45 tazze Ø 65
Boiler capacity	11 l
Boiler element	4200 W
Stabilised boiler Bullone Rosso	0,38 l - 1000 W
Power supply	380-400 V 3N ~ 50 Hz 220-240 V 1N ~ 50 Hz
Water supply	3/8" F
N. water wands - N. steam wands	1 - 2 Cold Touch
Dimensions and weight	L 770 x P 535 x H 555 - 71 kg

### BL-500-LE 3 GR

Version	Standard / Tall Cup*
Cup holder capacity	65 tazze Ø 65
Boiler capacity	17,5 l
Boiler element	5200 W
Stabilised boiler Bullone Rosso	0,38 l - 1000 W
Power supply	380-400 V 3N ~ 50 Hz 220-240 V 1N ~ 50 Hz
Water supply	3/8" F
N. water wands - N. steam wands	1 - 2 Cold Touch
Dimensions and weight	L 1010 x P 535 x H 555 - 91 kg

\* Tall Cup version: maximum cup/glass height 140 mm.



